

—HYLINE®—

HYSTYLE WOOD



reddot winner 2025

The ultimate fusion of wood and light.

HYSTYLE WOOD blends minimalist aluminum with natural interior wood, delivering a refined timber-frame look.

Compatible with all **HYSTYLE** windows types, it features a **HYLINE** handle accented with matching natural

wood and welded exterior bead to create a clean, seamless and premium aesthetic.

In 2025 this series won the prestigious red dot design award.

DIMENSIONS	Window	Door
Max weight [kg] <i>per sash</i>	up to 180	up to 190
Dimensions [w-h] <i>per sash</i>	3000 x 1700mm	3000x1400mm
Max. Glazing Area [m²] <i>per sash</i>	5	4.2
Glazing capacity [mm]	28-50	28-50
PERFORMANCE		Weather Tightness
Air permeability	up to Class 4	up to Class 3
Resistance to wind load	up to Class B2	up to Class B2
Water tightness	up to Class 9A	up to Class 7A
		Thermal
Thermal Transmittance [Double glazing]	Up to 1.49 W m² K	Up to 0.9 W m² K
Thermal Transmittance[Triple glazing]	Up to 1.49 W m² K	Up to 1.58W m² K
		Acoustic Isolation
Sound Reduction Index	Rw (C; Ctr) ≥ 43 dB (-2;-5)	Rw (C; Ctr) ≥ 43 dB (-2;-5)
CERTIFICATION		
EU Regulatory Compliance		CE & CPR Certified
		EPBD Optimized
		EPD Verified
USA Regulatory Compliance		NFRC Certified
TYPOLOGIES		
		Composed frames
		Tilt & Turn TbT
		Entrance door
		Bottom hung
HYLINE HINGES		Window
		Visible
		Concealed
		Door
		Visible

HANDLE SELECTION



SMART SOLUTIONS TECHNOLOGICAL POSSIBILITIES

Sensors & Extras

- Controlled opacity
- Alarm sensor
- A.D. sensor

MOTORISATION

Top motorisation

WOOD COLOR OPTIONS

- HY-RAL9016 Pure White
- HY-RC-550 Teak
- HY-RC-650 Nutwood
- HY-RC-450 Afrormosia
- HY-RC-351 Light Oak




TYPE OF WOOD

- Accoya wood
- More stability wich gives a high technical performance
- Long-last results with hywwod care kit
- Low level of maintenance
- Several colors available
- Insect repellent effect



WINDOWS



DOORS

