


—HYLINE®—


HYWIN48



HYWIN58



HYWIN48 WOOD



The new discipline
in casement design.

These systems are the ultimate expression of luxury, where clean geometry and architectural discipline dissolve into a language of serenity and light.

More than a mere technical solution, they are a manifesto of sophistication that captures the very soul of HYLINE—transforming structural rigour into pure visual poetry.

By elevating weather-tightness and thermal insulation to an art form, they create a sanctuary of absolute well-being. This space is guarded by superior acoustic protection, turning the interior into a silent refuge from the shifting elements of the outside world.

Infused with the unmistakable minimalist signature of HYLINE, this systems celebrates the boundless passage

of natural light. Its fluid lines blur the threshold between the living space and the horizon, ensuring seamless integration into the most ambitious architectural visions.

Whether configured with a concealed HYWIN 48 or a visible HYWIN 58 sash, it aligns advanced technology with the rigorous functional standards required by contemporary architecture and high-end aluminium engineering.

This is an innovation in the luxury segment, fulfilling the aspirations of those who seek exceptional living spaces characterised by mechanical precision, tactile quality, and a distinctive architectural character.

DIMENSIONS	HYWIN48	HYWIN58
Max weight [kg] <i>per sash</i>	up to 130	up to 130
Dimensions [w-h] <i>per sash</i>	2600 x 1700mm	2600 x 1700mm
Max. Glazing Area [m²] <i>per sash</i>	18	18
Glazing capacity [mm]	28-34 38-44 48-54	28-48
PERFORMANCE		Weather Tightness
Air permeability	up to Class 4	up to Class 4
Resistance to wind load	up to Class B2	up to Class 8A
Water tightness	E1350	E750
		Thermal
Thermal Transmittance [Double glazing]	Up to 1,36 W m2 K	Up to 1,23 W m2 K
		Acoustic Isolation
Sound Reduction Index	Rw (C; Ctr) ≥ 36 dB dB (0 ; -1)	Rw (C; Ctr) ≥ 36 dB dB (0 ; -1)
TYPOLOGIES		
		Composed frames
		Side Hung
		Bottom hung
		T&T and Tbt
		Double opening
SMART SOLUTIONS TECHNOLOGICAL POSSIBILITIES		Sensors & Extras
		Controlled opacity
		Alarm sensor
		A.D. sensor
		Motorisation
		Superior motorisation

HANDLE SELECTION
HYWIN 48 | HYWIN 58



HYWIN 48 WOOD



WOOD COLOR OPTIONS

- HY-RAL9016 Pure White
- HY-RC-550 Teak
- HY-RC-650 Nutwood
- HY-RC-450 Afrormosia
- HY-RC-351 Light Oak




TYPE OF WOOD


- Accoya wood
- More stability wich gives a high technical performance
- Long-last results with hywwod care kit
- Low level of maintenance
- Several colors available
- Insect repellent effect



HYWIN48



HYWIN 58



HYWIN48 WOOD

